



"NONE BETTER" CARBON SOCKET SETS**No. 1219 19-PIECE SET**

This set has the double attraction of a complete $\frac{1}{2}$ " hex drive assortment of sockets and tools and the time and labor saving Midget outfit, covering a wide range of work more easily and effectively. There are eight 12 point heat treated sockets, $\frac{1}{16}$, $\frac{1}{8}$, $\frac{9}{16}$, $\frac{11}{16}$, $\frac{3}{4}$, $\frac{7}{8}$ and $\frac{1 1}{2}$ inch. A Ratchet and Screw Driver Adapter and an Ell Handle. All $\frac{1}{2}$ -inch Hex Drive.

There are also seven Midget sockets, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{16}$, $\frac{1}{2}$ and an internal knurled socket, with a 5-inch long Ell Handle. These have a $\frac{1}{4}$ -inch Hex Drive. All sockets and parts have a bright cadmium finish and are securely packed in a red enameled steel Display Container.

Shipping weight, $3\frac{1}{2}$ lbs. each. Standard package, 50.

No. 1802D 11-PIECE SET

An eight socket set with a ratchet handle. To this has been added all the attractive appearance of the "None Better" Display Container. When the Ell Handle is withdrawn the sockets are in an open tray from which the desired size may readily be selected. This set is made up of eight 12 point heat treated sockets, $\frac{1}{16}$, $\frac{1}{8}$, $\frac{9}{16}$, $\frac{11}{16}$, $\frac{3}{4}$, $\frac{7}{8}$ and $\frac{1 1}{2}$ -inch, an Ell Handle, a Ratchet and Screw Driver Adapter. All parts $\frac{1}{2}$ -inch Hex Drive and all bright cadmium finished. Packed in red enamel finished Display Container.


Shipping weight, $2\frac{1}{2}$ lbs. each. Standard package, 50.

No. 791 8-PIECE SET

The strung on feature makes the most compact way possible to pack a socket set. There are seven 12 point broached heat treated sockets, $\frac{1}{16}$, $\frac{1}{8}$, $\frac{9}{16}$, $\frac{11}{16}$, $\frac{3}{4}$ and $\frac{7}{8}$ -inch on the Ell Handle. Sockets and Ell Handle are $\frac{1}{2}$ -inch Hex Drive and finished in bright cadmium.

Shipping weight, $1\frac{1}{2}$ lbs. each. Standard package, 50.

NOTE: With the exception of Set No. 791, the socket sets are all made up in handle lock containers assuring perfect security and convenience. The handle passing through openings in the end of the container securely locks sockets and other parts in box. By simply withdrawing the handle, the sockets are readily available in an open tray.

"NONE BETTER" WRENCH DISPLAY PANELS**No. 6250 WRENCH DISPLAY**

$\frac{1}{2}$ -Inch Square Drive — 38 Pieces. A handsome balanced $\frac{1}{2}$ -inch drive collection on a sturdy, lightweight 1 x 2 foot display, finished in deep green.

Comes complete in one shipping carton. Wt. 24 lbs.

Cat. No.	Each	Size In.
T 1214	2	$\frac{7}{16}$
T 1216	2	$\frac{1}{2}$
T 1218	2	$\frac{9}{16}$
T 1219	2	$\frac{5}{8}$
T 1220	2	$\frac{11}{16}$
T 1222	2	$\frac{3}{4}$
T 1224	2	$\frac{7}{8}$
T 1226	2	$\frac{1 1}{8}$
T 1228	2	$\frac{1 1}{4}$
T 1230	2	$\frac{1 3}{8}$
T 1232	2	1

Drive Parts

Cat. No.	Each	Description
S 24	2	5-Inch Socket Extension
S 25	2	10-Inch Socket Extension
S 30	2	8-Inch Cross Bar
S 35	2	Short Adapter
S 41	2	Reversible Ratchet
S 45	2	Standard Ratchet
S 53	2	15-Inch Flex Handle
S 70	2	Slide Tee Handle

No. 6255-H WRENCH DISPLAY


45° Box End Wrenches— 37 pieces. Board is lightweight and sturdy, 1 x 2-foot. Finished in deep green. Comes complete in one shipping container. Weight, 18 lbs.

45° Long

Cat. No.	Each	Size In.
8723-H	5	$\frac{3}{8}$ x $\frac{7}{16}$
8725B-H	5	$\frac{1}{2}$ x $\frac{9}{16}$
8028A-H	5	$\frac{5}{8}$ x $\frac{11}{16}$
8729A-H	5	$\frac{3}{4}$ x $\frac{1 1}{16}$
8731B-H	3	$\frac{7}{8}$ x $\frac{1 1}{8}$
8033C-H	3	$\frac{1 1}{8}$ x 1


45° Short

Cat. No.	Each	Size In.
9723-H	3	$\frac{3}{8}$ x $\frac{7}{16}$
9725B-H	5	$\frac{1}{2}$ x $\frac{9}{16}$
9727A-H	3	$\frac{5}{8}$ x $\frac{1 1}{16}$

**No. 6252-H WRENCH DISPLAY**


Engineer's Wrenches — 47 pieces. Board is 1 x 2 foot, light and sturdy. Finished in deep green. Complete in one shipping carton. Weight 21 pounds.

Cat. No.	Each	Size In.
1020-H	3	$\frac{1}{4}$ x $\frac{1}{8}$
1721-H	3	$\frac{1}{8}$ x $\frac{3}{8}$
1723-H	5	$\frac{3}{8}$ x $\frac{7}{16}$
1725-H	4	$\frac{1}{2}$ x $\frac{9}{16}$
1725B-H	5	$\frac{1}{2}$ x $\frac{11}{16}$
1727-H	4	$\frac{5}{8}$ x $\frac{1 1}{16}$
1027-H	4	$\frac{7}{8}$ x $\frac{1 1}{8}$
1729-H	5	$\frac{1 1}{8}$ x $\frac{3}{4}$
1029-H	2	$\frac{1 1}{4}$ x $\frac{1 1}{2}$
1731-H	2	$\frac{3}{4}$ x $\frac{1 3}{8}$
1031B-H	3	$\frac{1 1}{2}$ x $\frac{1 3}{8}$
1731A-H	3	$\frac{3}{4}$ x $\frac{7}{8}$
1733A-H	2	$\frac{7}{8}$ x $\frac{1 1}{8}$
1033C-H	2	$\frac{1 1}{2}$ x 1



"NONE BETTER" FORGED WRENCH AND SOCKET SETS

No. 6012 12-PIECE $\frac{1}{2}$ -INCH SQUARE DRIVE SET



12 Point Sockets			
Cat. No.	Size In.	Cat. No.	Size In.
T 1214	$\frac{7}{16}$	T 1222	$\frac{11}{16}$
T 1216	$\frac{1}{2}$	T 1224	$\frac{3}{4}$
T 1218	$\frac{9}{16}$	T 1226	$\frac{13}{16}$
T 1220	$\frac{5}{8}$	T 1228	$\frac{7}{8}$
T 1221	$\frac{31}{32}$	T 1230	$\frac{15}{16}$

Drive Parts

Cat. No.	Description
S 53	15-Inch Flex Handle
S 30	8-Inch Cross Bar
13266	Metal Box (15 x 2 $\frac{3}{4}$ x 1 $\frac{1}{2}$ inches)
Shipping weight, 5 lbs.	

No. 6034T 34-PIECE $\frac{1}{2}$ & $\frac{3}{4}$ -INCH SQUARE DRIVE SET



$\frac{1}{2}$ -Inch Square Drive 12 Point Sockets			
Cat. No.	Size In.	Cat. No.	Size In.
T 1214	$\frac{7}{16}$	T 1225	$\frac{25}{32}$
T 1216	$\frac{1}{2}$	T 1226	$\frac{13}{16}$
T 1218	$\frac{9}{16}$	T 1228	$\frac{7}{8}$
T 1219	$\frac{13}{16}$	T 1230	$\frac{15}{16}$
T 1220	$\frac{3}{8}$	T 1231	$\frac{31}{32}$
T 1221	$\frac{31}{32}$	T 1232	1
T 1222	$\frac{11}{16}$	T 1234	$1\frac{1}{8}$
T 1224	$\frac{3}{4}$	T 1236	$1\frac{1}{8}$

Drive Parts

Cat. No.	Description	Cat. No.	Description
S 41	Rev. Ratchet	S 54	18" Flex. Handle
S 30	8" Cross Bar	S 85	19" Speeder
S 70	Slide T Handle	S 24	5" Socket Ext.
S 25	10" Socket Ext.		


$\frac{3}{4}$ -Inch Square Drive 6 Point Sockets			
Cat. No.	Size In.	Cat. No.	Size In.
M 608	$\frac{1}{4}$	M 611	$\frac{11}{16}$
M 609	$\frac{3}{8}$	M 612	$\frac{3}{8}$
M 610	$\frac{1}{2}$	M 614	$\frac{7}{8}$
$\frac{1}{4}$ Inch Square Drive 8 Point Sockets			
M 808	$\frac{1}{4}$	M 812	$\frac{3}{8}$
M 810	$\frac{5}{16}$		

Drive Parts

Cat. No.	Description
M 50	6-Inch Flex Handle
M 30	3-Inch Cross Bar
13265	Metal Box (7 x 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$ inches)
13263	Metal Box w/tray (19 x 6 x 6 inches)
Shipping weight, 22 lbs.	

"NONE BETTER" FORGED WRENCH AND SOCKET SETS

No. 6023 23-PIECE $\frac{1}{2}$ -INCH SQUARE DRIVE SET



12 Point Sockets			
Cat. No.	Size Inches	Cat. No.	Size Inches
T 1214	$\frac{7}{16}$	T 1222	$\frac{11}{16}$
T 1216	$\frac{1}{2}$	T 1224	$\frac{3}{4}$
T 1218	$\frac{9}{16}$	T 1225	$\frac{25}{32}$
T 1219	$\frac{13}{16}$	T 1226	$\frac{13}{16}$
T 1220	$\frac{5}{8}$	T 1228	$\frac{7}{8}$
T 1221	$\frac{31}{32}$		
		T 1230	$\frac{15}{16}$
		T 1231	$\frac{31}{32}$
		T 1232	1
		T 1234	$1\frac{1}{8}$
		T 1236	$1\frac{1}{8}$

Drive Parts

Cat. No.	Description	Cat. No.	Description
S 41	Reversible Ratchet	S 70	Slide Tee Handle
S 54	18" Flex Handle	S 24	5" Socket Ext.
S 30	8" Cross Bar	S 25	10" Socket Ext.
8 85	19" Speeder	14305	Metal Box (19x7 $\frac{1}{2}$ x2")
Shipping weight, 17 lbs.			

No. 601 12-PIECE $\frac{1}{4}$ -INCH DRIVE SET



6 Point Sockets			
Cat. No.	Size In.	Cat. No.	Size In.
M 608	$\frac{1}{4}$	M 611	$\frac{11}{16}$
M 609	$\frac{3}{8}$	M 612	$\frac{3}{8}$
M 610	$\frac{1}{2}$	M 614	$\frac{7}{8}$
8 Point Sockets			
M 808	$\frac{1}{4}$	M 812	$\frac{3}{8}$
M 810	$\frac{5}{16}$		

Drive Parts

Cat. No.	Description	Cat. No.	Description
M 41	Rev. Ratchet	M 50	6" Flex Handle
M 30	3" Cross Bar	13265	Metal Box (7 x 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$ ")

Shipping weight, 2 lbs.

ENGINEER'S WRENCHES



No. 1020-H $\frac{1}{4}$ x $\frac{5}{16}$ -inch to No. 1033C-H $\frac{15}{16}$ x1-inch openings.

45° LONG BOX END WRENCHES



No. 8723-H $\frac{3}{8}$ x $\frac{7}{8}$ -inch to No. 8033C-H $\frac{15}{16}$ x1-inch openings.

45° SHORT BOX END WRENCHES



No. 9723-H $\frac{3}{8}$ x $\frac{7}{8}$ -inch to No. 9727A-H $\frac{5}{8}$ x $\frac{11}{16}$ -inch openings.

"NONE BETTER" STRAIGHT THIN WALL SOCKETS**½-INCH SQUARE DRIVE****12 Point****8 Point**

The Straight Thin Wall line of sockets in the "None Better" tool line is one that we can recommend with pride; one that you can sell with pleasure and profit; and one that your customers can use with safety and satisfaction. Thoroughly heat treated and hardened, they will wear indefinitely.

12 Point Sockets

Cat. No.	Size In.	Ship. Wt. Oz.
T-1214	$\frac{7}{16}$	3
T-1216	$\frac{1}{2}$	3
T-1218	$\frac{9}{16}$	3
T-1219	$\frac{5}{8}$	3
T-1220	$\frac{3}{4}$	3
T-1221	$\frac{7}{8}$	3
T-1222	$1\frac{1}{8}$	3
T-1224	$\frac{3}{4}$	4
T-1225	$\frac{7}{8}$	4
T-1226	$1\frac{1}{8}$	4
T-1228	$\frac{7}{8}$	5
T-1230	$1\frac{1}{8}$	5
T-1231	$\frac{7}{8}$	6
T-1232	1	6
T-1234	$1\frac{1}{8}$	7
T-1236	$1\frac{3}{8}$	8
T-1240	$1\frac{1}{2}$	9

8 Point Sockets

Cat. No.	Size In.	Ship. Wt. Oz.
T-812	$\frac{3}{8}$	3
T-814	$\frac{7}{16}$	3
T-816	$\frac{1}{2}$	3
T-818	$\frac{9}{16}$	3
T-820	$\frac{5}{8}$	4
T-822	$\frac{11}{16}$	4
T-824	$\frac{3}{4}$	4
T-826	$\frac{13}{16}$	5
T-828	$\frac{7}{8}$	6

"NONE BETTER" DRIVE PARTS AND SOCKET ATTACHMENTS**FLEX HANDLES**

The "None Better" Flex Handles may be used as an extension, an offset handle, a nut spinner or with the cross bar as a Tee Handle. There are three lengths, 12, 15 and 18-inch to give the desired leverage, and the flexible head allows them to be used at many angles.

Cat. No.	Description	Ship. Wt. Lbs.
S-54	18-Inch Flex Handle.....	$2\frac{1}{4}$
S-53	15-Inch Flex Handle.....	2
S-52	12-Inch Flex Handle.....	$1\frac{3}{4}$

FLEX HANDLE CROSS BAR

The combination of the cross bar makes any Flex Handle a high grade Tee Handle at little cost.

Cat. No.	Description	Ship. Wt. Oz.
S-30	8-Inch Cross Bar.....	5

"NONE BETTER" DRIVE PARTS AND SOCKET ATTACHMENTS**SLIDE TEE HANDLE**

Any of a variety of combinations can be made with the Slide Tee Handle.

Cat. No.	Description	Ship. Wt. Lbs.
S-70	Slide Tee Handle.....	1

No. S-41 REVERSIBLE RATCHET

This Reversible Ratchet is the result of a long and careful study of the requirements of such a tool. It is stronger, easier to handle and more efficient. The double tooth engagement of the ratchet gear with the pawl gives greater strength and longer life. The action can be instantly reversed by a slight thumb pressure. All parts are made of selected S.A.E. Alloy Steel.

Cat. No.	Description	Lbs. Ship. Wt.
S-41	Reversible Ratchet	1

No. S-45 STANDARD RATCHET

The Standard Ratchet is dependable and efficient. A drop forged handle that will withstand severe use. Gear and pawls made from Alloy Steel and carefully heat treated.

Cat. No.	Description	Ship. Wt. Lbs.
S-45	Standard Ratchet	$1\frac{3}{4}$

No. S-35 SHORT ADAPTER

Connecting link between Standard Ratchet and Socket.

Cat. No.	Description	Ship. Wt. Oz.
S-35	Short Adapter	1

SOCKET EXTENSIONS

Three socket extensions in lengths from 5 to 20 inches with male and female ends. The exact fit of these parts makes a rigid individual tool when used in connection with ratchet or other handles.

Cat. No.	Description	Ship. Wt.
S-24	5-Inch Socket Extension....	9 Oz.
S-25	10-Inch Socket Extension....	1 lb. 2 Oz.
S-28	20-Inch Socket Extension....	2 lbs.